

KOŁA ZĘBATE Z OTWOREM PILOTAŻOWYM O PODZIAŁCE METRYCZNEJ „AT”




KOŁA ZĘBATE Z OTWOREM PILOTAŻOWYM O PODZIAŁCE METRYCZNEJ „AT”

AT 5 (Podziałka 5 mm) dla pasa zębatego o szerokości 10 mm

| SYMBOL KOŁA | KOD | TYP | LICZBA ZĘBÓW | De | Df | Dm | F | L | d | WAGA Kg |
|-------------|---------|-----|--------------|-------|------|----|----|----|---|---------|
| 21 AT5/12-2 | 21AT512 | 6F | 12 | 17,85 | 23,0 | 11 | 15 | 21 | 4 | 0,018 |
| 21 AT5/14-2 | 21AT514 | 6F | 14 | 21,05 | 25,0 | 14 | 15 | 21 | 4 | 0,019 |
| 21 AT5/15-2 | 21AT515 | 6F | 15 | 22,65 | 28,0 | 16 | 15 | 21 | 6 | 0,021 |
| 21 AT5/16-2 | 21AT516 | 6F | 16 | 24,20 | 32,0 | 18 | 15 | 21 | 6 | 0,025 |
| 21 AT5/18-2 | 21AT518 | 6F | 18 | 27,40 | 32,0 | 20 | 15 | 21 | 6 | 0,031 |
| 21 AT5/19-2 | 21AT519 | 6F | 19 | 29,00 | 36,0 | 22 | 15 | 21 | 6 | 0,036 |
| 21 AT5/20-2 | 21AT520 | 6F | 20 | 30,60 | 36,0 | 23 | 15 | 21 | 6 | 0,038 |
| 21 AT5/22-2 | 21AT522 | 6F | 22 | 33,85 | 38,0 | 24 | 15 | 21 | 6 | 0,048 |
| 21 AT5/24-2 | 21AT524 | 6F | 24 | 37,00 | 42,0 | 26 | 15 | 21 | 6 | 0,054 |
| 21 AT5/25-2 | 21AT525 | 6F | 25 | 38,60 | 44,0 | 26 | 15 | 21 | 6 | 0,058 |
| 21 AT5/26-2 | 21AT526 | 6F | 26 | 40,20 | 44,0 | 26 | 15 | 21 | 6 | 0,062 |
| 21 AT5/27-2 | 21AT527 | 6F | 27 | 41,80 | 48,0 | 30 | 15 | 21 | 8 | 0,064 |
| 21 AT5/28-2 | 21AT528 | 6F | 28 | 43,35 | 48,0 | 32 | 15 | 21 | 8 | 0,071 |
| 21 AT5/30-2 | 21AT530 | 6F | 30 | 46,55 | 51,0 | 34 | 15 | 21 | 8 | 0,076 |
| 21 AT5/32-2 | 21AT532 | 6F | 32 | 49,70 | 54,0 | 36 | 15 | 21 | 8 | 0,088 |
| 21 AT5/36-2 | 21AT536 | 6F | 36 | 56,05 | 64,0 | 38 | 15 | 21 | 8 | 0,114 |
| 21 AT5/40-2 | 21AT540 | 6F | 40 | 62,45 | 66,0 | 40 | 15 | 21 | 8 | 0,138 |
| 21 AT5/42-2 | 21AT542 | 6F | 42 | 65,60 | 70,0 | 40 | 15 | 21 | 8 | 0,180 |
| 21 AT5/44-0 | 21AT544 | 6 | 44 | 68,80 | - | 45 | 15 | 21 | 8 | 0,185 |
| 21 AT5/48-0 | 21AT548 | 6 | 48 | 75,15 | - | 50 | 15 | 21 | 8 | 0,200 |
| 21 AT5/60-0 | 21AT560 | 6 | 60 | 94,25 | - | 65 | 15 | 21 | 8 | 0,307 |


Materiał: Aluminium



AT 5 (Podziałka 5 mm) dla pasa zębatego o szerokości 16 mm

| SYMBOL KOŁA | KOD | TYP | LICZBA ZĘBÓW | De | Df | Dm | F | L | d | WAGA Kg |
|-------------|---------|-----|--------------|-------|------|----|----|----|---|---------|
| 27 AT5/12-2 | 27AT512 | 6F | 12 | 17,85 | 23,0 | 11 | 21 | 27 | 4 | 0,022 |
| 27 AT5/14-2 | 27AT514 | 6F | 14 | 21,05 | 25,0 | 14 | 21 | 27 | 4 | 0,026 |
| 27 AT5/15-2 | 27AT515 | 6F | 15 | 22,65 | 28,0 | 16 | 21 | 27 | 6 | 0,029 |
| 27 AT5/16-2 | 27AT516 | 6F | 16 | 24,20 | 32,0 | 18 | 21 | 27 | 6 | 0,035 |
| 27 AT5/18-2 | 27AT518 | 6F | 18 | 27,40 | 32,0 | 20 | 21 | 27 | 6 | 0,043 |
| 27 AT5/19-2 | 27AT519 | 6F | 19 | 29,00 | 36,0 | 22 | 21 | 27 | 6 | 0,049 |
| 27 AT5/20-2 | 27AT520 | 6F | 20 | 30,60 | 36,0 | 23 | 21 | 27 | 6 | 0,053 |
| 27 AT5/22-2 | 27AT522 | 6F | 22 | 33,85 | 38,0 | 24 | 21 | 27 | 6 | 0,054 |
| 27 AT5/24-2 | 27AT524 | 6F | 24 | 37,00 | 42,0 | 26 | 21 | 27 | 6 | 0,076 |
| 27 AT5/25-2 | 27AT525 | 6F | 25 | 38,60 | 44,0 | 26 | 21 | 27 | 6 | 0,081 |
| 27 AT5/26-2 | 27AT526 | 6F | 26 | 40,20 | 44,0 | 26 | 21 | 27 | 6 | 0,085 |
| 27 AT5/27-2 | 27AT527 | 6F | 27 | 41,80 | 48,0 | 30 | 21 | 27 | 8 | 0,090 |
| 27 AT5/28-2 | 27AT528 | 6F | 28 | 43,35 | 48,0 | 32 | 21 | 27 | 8 | 0,092 |
| 27 AT5/30-2 | 27AT530 | 6F | 30 | 46,55 | 51,0 | 34 | 21 | 27 | 8 | 0,105 |
| 27 AT5/32-2 | 27AT532 | 6F | 32 | 49,70 | 54,0 | 36 | 21 | 27 | 8 | 0,123 |
| 27 AT5/36-2 | 27AT536 | 6F | 36 | 56,05 | 64,0 | 38 | 21 | 27 | 8 | 0,160 |
| 27 AT5/40-2 | 27AT540 | 6F | 40 | 62,45 | 66,0 | 40 | 21 | 27 | 8 | 0,193 |
| 27 AT5/42-2 | 27AT542 | 6F | 42 | 65,60 | 70,0 | 40 | 21 | 27 | 8 | 0,205 |
| 27 AT5/44-0 | 27AT544 | 6 | 44 | 68,80 | - | 45 | 21 | 27 | 8 | 0,228 |
| 27 AT5/48-0 | 27AT548 | 6 | 48 | 75,15 | - | 50 | 21 | 27 | 8 | 0,280 |
| 27 AT5/60-0 | 27AT560 | 6 | 60 | 94,25 | - | 65 | 21 | 27 | 8 | 0,430 |

Materiał: Aluminium



AT 5 (Podziałka 10 mm) dla pasa zębatego o szerokości 25 mm

| SYMBOL KOŁA | KOD | TYP | LICZBA ZĘBÓW | De | Df | Dm | F | L | d | WAGA Kg |
|-------------|---------|-----|--------------|-------|------|----|----|----|---|---------|
| 36 AT5/12-2 | 36AT512 | 6F | 12 | 17,85 | 23,0 | 11 | 30 | 36 | 4 | 0,031 |
| 36 AT5/14-2 | 36AT514 | 6F | 14 | 21,05 | 25,0 | 14 | 30 | 36 | 4 | 0,037 |
| 36 AT5/15-2 | 36AT515 | 6F | 15 | 22,65 | 28,0 | 16 | 30 | 36 | 6 | 0,041 |
| 36 AT5/16-2 | 36AT516 | 6F | 16 | 24,20 | 32,0 | 18 | 30 | 36 | 6 | 0,050 |
| 36 AT5/18-2 | 36AT518 | 6F | 18 | 27,40 | 32,0 | 20 | 30 | 36 | 6 | 0,061 |
| 36 AT5/19-2 | 36AT519 | 6F | 19 | 29,00 | 36,0 | 22 | 30 | 36 | 6 | 0,070 |
| 36 AT5/20-2 | 36AT520 | 6F | 20 | 30,60 | 36,0 | 23 | 30 | 36 | 6 | 0,076 |
| 36 AT5/22-2 | 36AT522 | 6F | 22 | 33,85 | 38,0 | 24 | 30 | 36 | 6 | 0,080 |
| 36 AT5/24-2 | 36AT524 | 6F | 24 | 37,00 | 42,0 | 26 | 30 | 36 | 6 | 0,109 |
| 36 AT5/25-2 | 36AT525 | 6F | 25 | 38,60 | 44,0 | 26 | 30 | 36 | 6 | 0,118 |
| 36 AT5/26-2 | 36AT526 | 6F | 26 | 40,20 | 44,0 | 26 | 30 | 36 | 6 | 0,120 |
| 36 AT5/27-2 | 36AT527 | 6F | 27 | 41,80 | 48,0 | 30 | 30 | 36 | 8 | 0,128 |
| 36 AT5/28-2 | 36AT528 | 6F | 28 | 43,35 | 48,0 | 32 | 30 | 36 | 8 | 0,135 |
| 36 AT5/30-2 | 36AT530 | 6F | 30 | 46,55 | 51,0 | 34 | 30 | 36 | 8 | 0,150 |
| 36 AT5/32-2 | 36AT532 | 6F | 32 | 49,70 | 54,0 | 36 | 30 | 36 | 8 | 0,178 |
| 36 AT5/36-2 | 36AT536 | 6F | 36 | 56,05 | 64,0 | 38 | 30 | 36 | 8 | 0,230 |
| 36 AT5/40-2 | 36AT540 | 6F | 40 | 62,45 | 66,0 | 40 | 30 | 36 | 8 | 0,278 |
| 36 AT5/42-2 | 36AT542 | 6F | 42 | 65,60 | 70,0 | 40 | 30 | 36 | 8 | 0,284 |
| 36 AT5/44-0 | 36AT544 | 6 | 44 | 68,80 | - | 45 | 30 | 36 | 8 | 0,315 |
| 36 AT5/48-0 | 36AT548 | 6 | 48 | 75,15 | - | 50 | 30 | 36 | 8 | 0,400 |
| 36 AT5/60-0 | 36AT560 | 6 | 60 | 94,25 | - | 65 | 30 | 36 | 8 | 0,614 |

Materiał: Aluminium




ATLANTIS
TWÓJ DOSTAWCA ELEMENTÓW PRZENIESIENIA NAPEWU

KOŁA ZĘBATE Z OTWOREM PILOTAŻOWYM O PODZIAŁCE METRYCZNEJ „AT”

AT 10 (Podziałka 10 mm) dla pasa zębatego o szerokości 16 mm

| SYMBOL KOŁA | KOD | TYP | LICZBA ZĘBÓW | De | Df | Dm | F | L | d | WAGA Kg |
|--------------|---------|-----|--------------|--------|-----|-----|----|----|----|---------|
| 31 AT10/15-2 | 31AT115 | 6F | 15 | 45,90 | 51 | 31 | 21 | 31 | 8 | 0,118 |
| 31 AT10/16-2 | 31AT116 | 6F | 16 | 49,05 | 54 | 35 | 21 | 31 | 8 | 0,134 |
| 31 AT10/18-2 | 31AT118 | 6F | 18 | 55,45 | 60 | 40 | 21 | 31 | 8 | 0,167 |
| 31 AT10/19-2 | 31AT119 | 6F | 19 | 58,60 | 66 | 44 | 21 | 31 | 8 | 0,184 |
| 31 AT10/20-2 | 31AT120 | 6F | 20 | 61,80 | 66 | 46 | 21 | 31 | 8 | 0,208 |
| 31 AT10/22-2 | 31AT122 | 6F | 22 | 68,15 | 75 | 52 | 21 | 31 | 8 | 0,253 |
| 31 AT10/24-2 | 31AT124 | 6F | 24 | 74,55 | 83 | 58 | 21 | 31 | 8 | 0,288 |
| 31 AT10/25-2 | 31AT125 | 6F | 25 | 77,70 | 83 | 60 | 21 | 31 | 8 | 0,310 |
| 31 AT10/26-2 | 31AT126 | 6F | 26 | 80,90 | 87 | 60 | 21 | 31 | 8 | 0,357 |
| 31 AT10/27-2 | 31AT127 | 6F | 27 | 84,10 | 91 | 60 | 21 | 31 | 8 | 0,364 |
| 31 AT10/28-2 | 31AT128 | 6F | 28 | 87,25 | 93 | 60 | 21 | 31 | 8 | 0,401 |
| 31 AT10/30-2 | 31AT130 | 6F | 30 | 93,65 | 97 | 60 | 21 | 31 | 8 | 0,441 |
| 31 AT10/32-2 | 31AT132 | 6F | 32 | 100,00 | 106 | 65 | 21 | 31 | 10 | 0,493 |
| 31 AT10/36-2 | 31AT136 | 6F | 36 | 112,75 | 120 | 70 | 21 | 31 | 10 | 0,623 |
| 31 AT10/40-2 | 31AT140 | 6F | 40 | 125,45 | 135 | 80 | 21 | 31 | 10 | 0,787 |
| 31 AT10/44-0 | 31AT144 | 6 | 44 | 138,20 | - | 88 | 21 | 31 | 10 | 0,993 |
| 31 AT10/48-0 | 31AT148 | 6 | 48 | 150,95 | - | 95 | 21 | 31 | 16 | 1,090 |
| 31 AT10/60-0 | 31AT160 | 6 | 60 | 189,10 | - | 110 | 21 | 31 | 16 | 1,701 |


Materiał: Aluminium



AT 10 (Podziałka 10 mm) dla pasa zębatego o szerokości 25 mm

| SYMBOL KOŁA | KOD | TYP | LICZBA ZĘBÓW | De | Df | Dm | F | L | d | WAGA Kg |
|--------------|---------|-----|--------------|--------|-----|----|----|----|----|---------|
| 40 AT10/15-2 | 40AT115 | 6F | 15 | 45,90 | 51 | 32 | 30 | 40 | 8 | 0,152 |
| 40 AT10/16-2 | 40AT116 | 6F | 16 | 49,05 | 54 | 35 | 30 | 40 | 8 | 0,176 |
| 40 AT10/18-2 | 40AT118 | 6F | 18 | 55,45 | 60 | 40 | 30 | 40 | 8 | 0,224 |
| 40 AT10/19-2 | 40AT119 | 6F | 19 | 58,60 | 66 | 44 | 30 | 40 | 8 | 0,247 |
| 40 AT10/20-2 | 40AT120 | 6F | 20 | 61,80 | 66 | 46 | 30 | 40 | 8 | 0,276 |
| 40 AT10/22-2 | 40AT122 | 6F | 22 | 68,15 | 75 | 52 | 30 | 40 | 8 | 0,337 |
| 40 AT10/24-2 | 40AT124 | 6F | 24 | 74,55 | 83 | 58 | 30 | 40 | 8 | 0,392 |
| 40 AT10/25-2 | 40AT125 | 6F | 25 | 77,70 | 83 | 60 | 30 | 40 | 8 | 0,422 |
| 40 AT10/26-2 | 40AT126 | 6F | 26 | 80,90 | 87 | 60 | 30 | 40 | 8 | 0,477 |
| 40 AT10/27-2 | 40AT127 | 6F | 27 | 84,10 | 91 | 60 | 30 | 40 | 8 | 0,536 |
| 40 AT10/28-2 | 40AT128 | 6F | 28 | 87,25 | 93 | 60 | 30 | 40 | 8 | 0,540 |
| 40 AT10/30-2 | 40AT130 | 6F | 30 | 93,65 | 97 | 60 | 30 | 40 | 8 | 0,640 |
| 40 AT10/32-2 | 40AT132 | 6F | 32 | 100,00 | 106 | 65 | 30 | 40 | 10 | 0,693 |
| 40 AT10/36-2 | 40AT136 | 6F | 36 | 112,75 | 120 | 70 | 30 | 40 | 10 | 0,873 |
| 40 AT10/40-2 | 40AT140 | 6F | 40 | 125,45 | 135 | 80 | 30 | 40 | 10 | 1,067 |
| 40 AT10/44-0 | 40AT144 | 6 | 44 | 138,20 | - | 88 | 30 | 40 | 10 | 1,350 |
| 40 AT10/48-0 | 40AT148 | 6 | 48 | 150,95 | - | 95 | 30 | 40 | 16 | 1,516 |

Materiał: Aluminium




KOŁA ZĘBATE Z OTWOREM PILOTAŻOWYM O PODZIAŁCE METRYCZNEJ „AT”

AT 10 (Podziałka 10 mm) dla pasa zębatego o szerokości 32 mm

| SYMBOL KOŁA | KOD | TYP | ILOŚĆ ZĘBÓW | De | Df | Dm | F | L | d | WAGA Kg |
|--------------|---------|-----|-------------|--------|-----|-----|----|----|----|---------|
| 47 AT10/18-2 | 47AT118 | 6F | 18 | 55,45 | 60 | 40 | 37 | 47 | 10 | 0,253 |
| 47 AT10/19-2 | 47AT119 | 6F | 19 | 58,60 | 66 | 44 | 37 | 47 | 10 | 0,286 |
| 47 AT10/20-2 | 47AT120 | 6F | 20 | 61,80 | 66 | 46 | 37 | 47 | 12 | 0,322 |
| 47 AT10/22-2 | 47AT122 | 6F | 22 | 68,15 | 75 | 52 | 37 | 47 | 12 | 0,393 |
| 47 AT10/24-2 | 47AT124 | 6F | 24 | 74,55 | 83 | 58 | 37 | 47 | 12 | 0,475 |
| 47 AT10/25-2 | 47AT125 | 6F | 25 | 77,70 | 83 | 60 | 37 | 47 | 12 | 0,527 |
| 47 AT10/26-2 | 47AT126 | 6F | 26 | 80,90 | 87 | 60 | 37 | 47 | 12 | 0,564 |
| 47 AT10/27-2 | 47AT127 | 6F | 27 | 84,10 | 91 | 60 | 37 | 47 | 12 | 0,602 |
| 47 AT10/28-2 | 47AT128 | 6F | 28 | 87,25 | 93 | 60 | 37 | 47 | 12 | 0,642 |
| 47 AT10/30-2 | 47AT130 | 6F | 30 | 93,65 | 97 | 60 | 37 | 47 | 12 | 0,740 |
| 47 AT10/32-2 | 47AT132 | 6F | 32 | 100,00 | 106 | 65 | 37 | 47 | 12 | 0,844 |
| 47 AT10/36-2 | 47AT136 | 6F | 36 | 112,75 | 120 | 70 | 37 | 47 | 16 | 1,063 |
| 47 AT10/40-2 | 47AT140 | 6F | 40 | 125,45 | 135 | 80 | 37 | 47 | 16 | 1,317 |
| 47 AT10/44-0 | 47AT144 | 6 | 44 | 138,20 | - | 88 | 37 | 47 | 16 | 1,611 |
| 47 AT10/48-0 | 47AT148 | 6 | 48 | 150,95 | - | 95 | 37 | 47 | 16 | 1,931 |
| 47 AT10/60-0 | 47AT160 | 6 | 60 | 189,10 | - | 110 | 37 | 47 | 16 | 3,004 |

Materiał: Aluminium



AT 10 (Podziałka 10 mm) dla pasa zębatego o szerokości 50 mm

| SYMBOL KOŁA | KOD | TYP | ILOŚĆ ZĘBÓW | De | Df | Dm | F | L | d | WAGA Kg |
|--------------|---------|-----|-------------|--------|-----|-----|----|----|----|---------|
| 66 AT10/18-2 | 66AT118 | 6F | 18 | 55,45 | 60 | 40 | 56 | 66 | 10 | 0,422 |
| 66 AT10/19-2 | 66AT119 | 6F | 19 | 58,60 | 66 | 44 | 56 | 66 | 10 | 0,466 |
| 66 AT10/20-2 | 66AT120 | 6F | 20 | 61,80 | 66 | 46 | 56 | 66 | 12 | 0,520 |
| 66 AT10/22-2 | 66AT122 | 6F | 22 | 68,15 | 75 | 52 | 56 | 66 | 12 | 0,570 |
| 66 AT10/24-2 | 66AT124 | 6F | 24 | 74,55 | 83 | 58 | 56 | 66 | 12 | 0,736 |
| 66 AT10/25-2 | 66AT125 | 6F | 25 | 77,70 | 83 | 60 | 56 | 66 | 12 | 0,766 |
| 66 AT10/26-2 | 66AT126 | 6F | 26 | 80,90 | 87 | 60 | 56 | 66 | 12 | 0,816 |
| 66 AT10/27-2 | 66AT127 | 6F | 27 | 84,10 | 91 | 60 | 56 | 66 | 12 | 0,946 |
| 66 AT10/28-2 | 66AT128 | 6F | 28 | 87,25 | 93 | 60 | 56 | 66 | 12 | 0,960 |
| 66 AT10/30-2 | 66AT130 | 6F | 30 | 93,65 | 97 | 60 | 56 | 66 | 12 | 1,169 |
| 66 AT10/32-2 | 66AT132 | 6F | 32 | 100,00 | 106 | 65 | 56 | 66 | 12 | 1,300 |
| 66 AT10/36-2 | 66AT136 | 6F | 36 | 112,75 | 120 | 70 | 56 | 66 | 16 | 1,637 |
| 66 AT10/40-2 | 66AT140 | 6F | 40 | 125,45 | 135 | 80 | 56 | 66 | 16 | 1,999 |
| 66 AT10/44-0 | 66AT144 | 6 | 44 | 138,20 | - | 88 | 56 | 66 | 16 | 2,357 |
| 66 AT10/48-0 | 66AT148 | 6 | 48 | 150,95 | - | 95 | 56 | 66 | 16 | 2,830 |
| 66 AT10/60-0 | 66AT160 | 6 | 60 | 189,10 | - | 110 | 56 | 66 | 16 | 4,368 |

Materiał: Aluminium

